




Structural Tube & Pipe





CAP: 2X 16 500 LB

16 500 LBS



We welcome your challenges.

They drive our innovations, propelling us to create solutions tailored to your needs. We pride ourselves in exceeding your expectations on the quality of the product we deliver. We do more than just adapt our production facilities and supply chain to meet your demand. We are willing to meet your requirements both in terms of procurement and capability.

Sustainability

We are proudly procuring North American Steel, reducing the use of fossil fuels wherever we can. Our locations have all taken on the challenge of reducing our carbon footprint per ton produced, and have invested in LED lighting and Automated Ventilation Control Systems, reducing our use of electricity and energy.



Standard Pipe

Montreal Facility

**From our Montreal Location,
Nova Steel manufactures pipe for various
applications, in a variety of sizes, finishes
and end treatments.**

Nominal Pipe Size Inches (O.D)	Wall Thickness (Inches)	Plain end Weight (lbs/ft)	Weight Class	Schedule no.
1/2 (0.840)	0.109	0.85	STD	40
	0.147	1.09	XS	80
3/4 (1.050)	0.113	1.13	STD	40
	0.154	1.48	XS	80
1 (1.315)	0.100	1.30		*
	0.109	1.41	LW	10
	0.133	1.68	STD	40
	0.179	2.17	XS	80
1 1/4 (1.660)	0.100	1.67		*
	0.109	1.81	LW	10
	0.140	2.27	STD	40
	0.191	3.00	XS	80
1 1/2 (1.900)	0.100	1.92		*
	0.109	2.09	LW	10
	0.145	2.72	STD	40
	0.200	3.63	XS	80
2 (2.375)	0.100	2.43		*
	0.109	2.64	LW	10
	0.154	3.66	STD	40
	0.218	5.03	XS	80
2 1/2 (2.875)	0.120	3.53	LW	10
	0.203	5.80	STD	40
	0.276	7.67	XS	80

Nominal Pipe Size Inches (O.D)	Wall Thickness (Inches)	Plain end Weight (lbs/ft)	Weight Class	Schedule no.
3 (3.500)	0.120	4.34	LW	10
	0.188	6.66		
	0.216	7.58	STD	40
	0.300	10.26	XS	80
3 1/2 (4.000)	0.226	9.12	STD	40
	0.318	12.52	XS	80
4 (4.500)	0.120	5.62	LW	10
	0.188	8.67		
	0.237	10.80	STD	40
	0.337	15.00	XS	80
5 (5.563)	0.134	7.78	LW	10
	0.188	10.80		
	0.258	14.63	STD	40
	0.375	20.80	XS	80*
6 (6.625)	0.134	9.30	LW	10
	0.188	12.94		
	0.280	18.99	STD	40
7 (7.625)	0.188	13.69		
	0.250	18.04		
	0.375	26.56		*
8** (8.625)	0.188	16.96		
	0.250	22.38		
	0.277	24.72		
	0.322	28.58	STD	40
	0.500	43.43	XS	80*

*Please inquire for minimum quantity required
and for special length

**Coming in 2023


Standard Pipe: A53 Type E, Grade B
Fire Sprinkler Pipe: A795 Grade A
Fence Framework: Commercial Quality (CQ) Pipe
Water Well Casing: A589 Grade B

1 cubic inch of steel = 0.2833 lbs
How to calculate weight per foot for steel pipe:
O.D. - wall thickness x wall thickness x 10.68 = lbs/ft
ex.: 2.375 - 0.154 x 0.154 x 10.68 = 3.65 lbs/ft

The background consists of a grid of overlapping circles. Each circle contains a blurred image of industrial machinery, likely related to the manufacturing of HSS and mechanical tubes. The overall color scheme is a deep blue.

Structural HSS & Mechanical Tube

Montreal & Ohio Facilities



Nova Steel manufactures square, rectangular, and round hollow structural sections (HSS) and mechanical tube to meet several grades including ASTM A500 Grade B/C, ASTM A513 and CSA G40.21-04 50 W.

Our range includes:

- Square tube from $\frac{3}{4}$ " x $\frac{3}{4}$ " up to 8" x 8"
- Rectangular tube from 2" x 1" through 12" x 4"
- Round tube from .840" O.D. up to 9 $\frac{5}{8}$ " O.D. with wall thicknesses ranging from 0.065" to .500"

Rectangulars

Size	Gauge	Lgth	Lbs/ft	W x H	Pcs	Weight (lbs)	Mill
2 x 1	0.065	240	1.27	7 x 12	84	2134	● ●
		288	*	*	84	2560	● ●
		288	*	*	84	2560	● ●
	0.072	240	1.43	*	84	2402	● ●
		288	*	*	84	2883	● ●
	0.083	240	1.60	*	84	2688	● ●
		288	*	*	84	3226	● ●
	0.100	240	1.82	*	84	3068	● ●
		288	*	*	84	3669	● ●
	0.125	240	2.21	*	84	3713	● ●
		288	*	*	84	4455	● ●
2.5 x 1.5	0.100	240	2.50	7 x 9	63	3160	● *
		288	*	*	63	3780	● *
		288	*	*	63	3866	● *
	0.125	240	3.06	*	63	4627	● *
		288	*	*	63	4157	● *
	0.188	240	4.33	6 x 8	48	4988	● *
3 x 1.5	0.083	240	2.39	6 x 10	60	2868	● *
		288	*	*	60	3442	● *
		288	*	*	60	3408	● *
	0.100	240	2.84	*	60	4090	● *
		288	*	*	60	4176	● *
	0.125	240	3.48	*	60	5011	● *
3 x 2	0.083	240	2.73	6 x 7	42	2293	● ●
		288	*	*	42	2752	● ●
		288	*	*	42	2738	● ●
	0.100	240	3.26	*	42	3286	● ●
		288	*	*	42	3286	● ●
		480	3.26	6 x 6	36	4694	● ●
	0.125	240	3.91	6 x 7	42	3284	● ●
		288	*	*	42	3941	● ●
		480	*	6 x 6	36	5630	● ●
		576	*	6 x 5	30	5630	● ●
		288	5.61	6 x 6	36	4099	● ●
		480	*	6 x 4	24	5386	● ●
	0.188	240	5.61	6 x 6	36	4847	● ●
		288	*	*	36	4847	● ●
		480	*	6 x 4	24	6463	● ●
	0.250	240	7.11	6 x 7	36	4977	● ●
		288	*	5 x 6	30	5119	● ●
		480	*	5 x 4	20	5688	● ●
		576	*	*	20	6826	● ●
4 x 2	0.100	288	3.85	5 x 8	40	3696	● ●
		576	*	5 x 5	25	4620	● ●
		240	4.76	5 x 8	40	3808	● ●
	0.125	288	*	*	40	4570	● ●
		480	*	5 x 5	25	4760	● ●
		576	*	*	25	6712	● ●
	0.188	240	6.89	4 x 8	32	4410	● ●
		288	*	*	32	5292	● ●
		480	*	4 x 5	20	5512	● ●
	0.250	240	8.81	4 x 4	16	5292	● ●
		288	*	*	24	4229	● ●
		480	*	4 x 4	16	5075	● ●
		576	*	*	16	5638	● ●
						6766	● ●

HSS Bundling Chart

Size	Gauge	Lgth	Lbs/ft	W x H	Pcs	Weight (lbs)	Mill
4 x 3	0.100	240	4.58	5 x 6	30	2748	● ● *
		288	"	"	30	3298	● ● *
	0.110	240	4.92	5 x 6	30	2952	● ● *
		480	"	5 x 5	25	4920	● ● *
		576	"	"	25	5904	● ● *
	0.125	240	5.61	5 x 6	30	3366	● ● *
		288	"	"	30	4039	● ● *
		576	"	5 x 4	20	5386	● ● *
	0.188	240	8.17	5 x 6	30	4902	● ● *
		288	"	"	30	5882	● ● *
		480	"	5 x 3	15	4902	● ● *
		576	"	"	15	5882	● ● *
	0.250	240	10.51	4 x 5	20	4204	● ● *
		288	"	"	20	5045	● ● *
		480	"	4 x 3	12	5045	● ● *
		576	"	"	12	6054	● ● *
	0.313	240	12.70	4 x 4	16	4064	● ● *
		288	"	"	16	4877	● ● *
		480	"	4 x 3	12	6096	● ● *
		576	"	"	12	7315	● ● *
	0.375	240	14.72	"	12	3533	● ● *
		288	"	"	12	4239	● ● *
		480	"	"	12	7066	● ● *
		576	"	4 x 2	8	5652	● ● *
5 x 2	0.125	240	5.61	4 x 7	28	3142	● ● *
		288	"	"	28	3770	● ● *
		480	"	4 x 6	24	5386	● ● *
		576	"	4 x 5	20	5386	● ● *
	0.188	240	8.17	3 x 8	24	3922	● ● *
		288	"	"	24	4706	● ● *
		480	"	3 x 5	15	4902	● ● *
		576	"	"	15	5882	● ● *
	0.250	240	10.51	3 x 7	21	4414	● ● *
		288	"	"	21	5297	● ● *
		480	"	3 x 4	12	5045	● ● *
		576	"	"	12	6054	● ● *
5 x 3	0.125	240	6.46	4 x 6	24	3101	● ● *
		288	"	"	24	3721	● ● *
		480	"	4 x 4	16	4134	● ● *
		576	"	"	16	4961	● ● *
	0.188	240	9.45	4 x 6	24	4536	● ● *
		288	"	"	24	5443	● ● *
		480	"	4 x 3	12	4536	● ● *
		576	"	"	12	5443	● ● *
	0.250	240	12.21	4 x 5	20	4884	● ● *
		288	"	"	20	5861	● ● *
		480	"	4 x 3	12	5861	● ● *
		576	"	"	12	7033	● ● *
	0.313	240	14.83	3 x 5	15	4449	● ● *
		288	"	"	15	5339	● ● *
		480	"	3 x 3	9	5339	● ● *
		576	"	"	9	6407	● ● *
	0.375	240	17.27	3 x 4	12	4145	● ● *
		288	"	"	12	4974	● ● *
		480	"	3 x 2	6	4145	● ● *
		576	"	"	6	4974	● ● *
	0.375	720	"	"	6	6217	● ● *

Size	Gauge	Lgth	Lbs/ft	W x H	Pcs	Weight (lbs)	Mill
6 x 2	0.125	240	6.46	3 x 7	21	2713	● ● *
		288	"	"	21	3256	● ● *
		480	"	3 x 5	15	3876	● ● *
		576	"	"	15	4651	● ● *
	0.188	264	9.45	3 x 7	21	4366	● ● *
		288	"	"	21	4763	● ● *
		480	"	3 x 4	12	4536	● ● *
		576	"	"	12	5443	● ● *
	0.250	240	12.21	3 x 5	15	3663	● ● *
		288	"	"	15	4396	● ● *
		480	"	3 x 4	12	5861	● ● *
		576	"	"	12	7033	● ● *
	0.250	720	"	3 x 3	9	6593	● ● *
6 x 3	0.188	240	10.70	3 x 6	18	3852	● ● *
		288	"	"	18	4622	● ● *
		480	"	3 x 4	12	5136	● ● *
		576	"	3 x 3	9	4622	● ● *
	0.250	240	13.91	3 x 5	15	4173	● ● *
		288	"	"	15	5008	● ● *
		480	"	3 x 3	9	5008	● ● *
		576	"	"	9	6009	● ● *
	0.313	240	16.96	3 x 5	15	5088	● ● *
		288	"	"	15	6106	● ● *
		480	"	3 x 3	9	5088	● ● *
		576	"	"	9	7327	● ● *
	0.375	240	19.82	3 x 3	9	3568	● ● *
		288	"	"	9	4281	● ● *
		480	"	3 x 2	6	4757	● ● *
		576	"	"	6	5708	● ● *

* Please inquire for minimum quantity required and/or special length

● Canada ● USA

Rectangulars

Size	Gauge	Lgth	W x H	Lbs/ft	Pcs	Weight (lbs)	Mill
6 x 4	0.188	240	3 x 5	12.00	15	3600	• •
		288	"	"	15	4320	• •
		480	3 x 3	"	9	4320	• •
		576	"	"	9	5184	• •
	0.250	240	3 x 5	15.62	15	4686	• •
		288	3 x 4	"	12	4499	• •
		480	3 x 3	"	9	5623	• •
		576	"	"	9	6748	• •
	0.313	240	3 x 2	"	6	5623	• •
		240	3 x 4	19.08	12	4579	• •
		288	"	"	12	5495	• •
		480	3 x 2	"	6	4579	• •
	0.375	240	3 x 3	22.37	9	4027	• •
		288	"	"	9	4832	• •
		480	"	"	9	5369	• •
		576	3 x 2	"	6	6443	• •
	0.500	240	3 x 3	28.43	9	8053	• •
		288	"	"	9	6117	• •
		480	3 x 2	"	6	6141	• •
		576	2 x 2	"	4	6823	• •
		576	2 x 2	"	4	5459	• •
7 x 5	0.188	240	3 x 4	14.53	12	3487	• • *
		288	"	"	12	4185	• • *
		480	3 x 3	"	9	5231	• • *
		576	"	"	9	6277	• • *
	0.250	240	3 x 4	19.02	12	7846	• • *
		288	"	"	12	4565	• • *
		480	3 x 2	"	6	5478	• • *
		576	"	"	6	4565	• • *
	0.313	240	3 x 4	23.34	12	5478	• • *
		288	3 x 3	"	9	6847	• • *
		480	3 x 2	"	6	5602	• • *
		576	"	"	6	5041	• • *
	0.375	240	3 x 3	27.48	9	6722	• • *
		288	"	"	9	8402	• • *
		480	3 x 2	"	6	4946	• • *
		576	3 x 1	"	3	6936	• • *
	0.500	240	3 x 3	35.24	9	6695	• • *
		288	"	"	9	7914	• • *
		480	3 x 2	"	6	4946	• • *
		576	3 x 1	"	3	6343	• • *
8 x 3	0.125	240	2 x 6	9.01	12	7612	• •
		288	"	"	12	2162	• •
		480	2 x 5	"	10	2595	• •
		576	2 x 4	"	8	3604	• •
	0.188	240	2 x 6	13.30	12	3460	• •
		288	"	"	12	4324	• •
		480	2 x 5	"	10	3192	• • *
		576	2 x 4	"	8	3831	• • *
	0.250	240	2 x 6	17.32	12	5320	• • *
		288	"	"	12	5108	• • *
		480	2 x 5	"	10	6384	• • *
		576	2 x 4	"	8	4157	• • *
	0.313	240	2 x 6	21.32	12	4989	• • *
		288	"	"	12	4157	• • *
		480	2 x 5	"	10	4989	• • *
		576	2 x 4	"	8	6236	• • *

HSS Bundling Chart

Size	Gauge	Lgth	W x H	Lbs/ft	Pcs	Weight (lbs)	Mill
8 x 3	0.313	240	2 x 5	21.24	10	4248	● ● *
		288	"	"	10	5098	● ● *
		480	2 x 3	"	6	5098	● ● *
		576	2 x 2	"	4	4079	● ● *
		720	"	"	4	5098	● ● *
	0.375	240	2 x 4	24.93	8	3989	● ● *
		288	"	"	8	4787	● ● *
		480	2 x 2	"	4	3989	● ● *
		576	"	"	4	4787	● ● *
		720	"	"	4	5984	● ● *
	0.500	240	2 x 4	31.84	8	5094	● ●
		288	"	"	8	6113	● ●
		480	2 x 2	"	4	5094	● ●
		576	"	"	4	6113	● ●
		720	"	"	4	7641	● ●
8 x 4	0.188	240	2 x 5	14.53	10	2906	● ●
		288	"	"	10	3487	● ●
		480	"	"	10	5812	● ●
		576	"	"	10	6974	● ●
		720	2 x 2	"	4	3487	● ●
	0.250	240	2 x 5	19.02	10	3804	● ●
		288	"	"	10	4565	● ●
		480	2 x 4	"	8	6086	● ●
		576	2 x 3	"	6	5478	● ●
		720	2 x 2	"	4	4565	● ●
	0.313	240	2 x 5	23.34	10	4668	● ●
		288	"	"	10	5602	● ●
		480	2 x 3	"	6	5602	● ●
		576	"	"	6	6722	● ●
		720	2 x 2	"	4	5602	● ●
	0.375	240	2 x 5	27.48	10	5496	● ●
		288	2 x 4	"	8	5276	● ●
		480	2 x 3	"	6	6595	● ●
		576	2 x 2	"	4	5276	● ●
		720	"	"	4	6595	● ●
	0.500	240	2 x 4	35.24	8	5638	● ●
		288	"	"	8	6766	● ●
		480	2 x 2	"	4	5638	● ●
		576	"	"	4	6766	● ●
8 x 6	0.188	240	3 x 3	17.08	6	2050	● ●
		288	"	"	6	2460	● ●
		480	"	"	6	4099	● ●
		576	"	"	6	4919	● ●
		720	"	"	6	2690	● ●
	0.250	240	"	22.42	6	3228	● ●
		288	"	"	6	3381	● ●
		480	"	"	6	6457	● ●
		576	"	"	6	6457	● ●
		720	"	"	6	3311	● ●
	0.313	240	"	27.59	6	3973	● ●
		288	"	"	6	6622	● ●
		480	2 x 2	"	4	5297	● ●
		576	"	"	4	5297	● ●
		720	"	"	4	3910	● ●
	0.375	240	3 x 3	32.58	6	4692	● ●
		288	"	"	6	7819	● ●
		480	"	"	6	6255	● ●
		576	2 x 2	"	4	6255	● ●
		720	"	"	4	5046	● ●
	0.500	240	3 x 3	42.05	6	6055	● ●
		288	"	"	6	6728	● ●
		480	2 x 2	"	4	6728	● ●
		576	"	"	4	8074	● ●

Size	Gauge	Lgth	W x H	Lbs/ft	Pcs	Weight (lbs)	Mill
10 x 4	0.188	240	2 x 5	17.08	10	3416	● ●
		288	"	"	10	4099	● ●
		480	2 x 4	"	8	5466	● ●
		576	"	"	8	6559	● ●
		720	"	"	8	4484	● ●
	0.250	240	2 x 5	22.42	10	5381	● ●
		288	"	"	10	7174	● ●
		480	2 x 4	"	8	6457	● ●
		576	2 x 3	"	6	5618	● ●
		720	2 x 2	"	4	6622	● ●
	0.313	240	2 x 5	27.59	10	6622	● ●
		288	"	"	10	6622	● ●
		480	2 x 3	"	6	6622	● ●
		576	2 x 2	"	4	5297	● ●
		720	"	"	4	5213	● ●
	0.375	240	2 x 4	32.58	8	5213	● ●
		288	"	"	8	6255	● ●
		480	2 x 2	"	4	5213	● ●
		576	"	"	4	6255	● ●
		720	"	"	4	6255	● ●
	0.500	240	2 x 3	42.05	6	5046	● ●
		288	"	"	6	6055	● ●
		480	2 x 2	"	4	6728	● ●
		576	"	"	4	8074	● ●
10 x 6	0.188	240	2 x 4	19.63	8	3141	● ●
		288	"	"	8	3769	● ●
		480	"	"	8	6282	● ●
		576	2 x 3	"	6	5653	● ●
		720	2 x 2	"	4	4131	● ●
	0.250	240	2 x 4	25.82	8	4957	● ●
		288	"	"	8	6197	● ●
		480	2 x 3	"	6	7436	● ●
		576	"	"	6	5094	● ●
		720	2 x 2	"	4	6113	● ●
	0.313	240	2 x 4	31.84	8	6113	● ●
		288	"	"	8	7642	● ●
		480	2 x 3	"	6	6113	● ●
		576	2 x 2	"	4	6113	● ●
		720	"	"	4	4523	● ●
	0.375	240	2 x 3	37.69	6	5427	● ●
		288	"	"	6	6030	● ●
		480	2 x 2	"	4	7236	● ●
		576	"	"	4	5862	● ●
		720	"	"	4	7034	● ●
	0.500	240	2 x 3	48.85	6	7816	● ●
		288	"	"	6	9379	● ●
		480	2 x 2	"	4	9379	● ●
		576	"	"	4	9379	● ●
12 x 4	0.188	240	2 x 4	19.63	8	3141	● ●
		288	"	"	8	3769	● ●
		480	"	"	8	6282	● ●
		576	2 x 3	"	6	5653	● ●
		720	2 x 2	"	4	4131	● ●
	0.250	240	2 x 4	25.82	8	4957	● ●
		288	"	"	8	6197	● ●
		480	2 x 3	"	6	7436	● ●
		576	"	"	6	5094	● ●
		720	2 x 2	"	4	6113	● ●
	0.313	240	2 x 4	31.84	8	6113	● ●
		288	"	"	8	7642	● ●
		480	2 x 3	"	6	6113	● ●
		576	2 x 2	"	4	6113	● ●
		720	"	"	4	4523	● ●
	0.375	240	2 x 3	37.69	6	5427	● ●
		288	"	"	6	6030	● ●
		480	2 x 2	"	4	7236	● ●
		576	"	"	4	5862	● ●
		720	"	"	4	7034	● ●
	0.500	240	2 x 3	48.85	6	7816	● ●
		288	"	"	6	9379	● ●
		480	2 x 2	"	4	9379	● ●
		576	"	"	4	9379	● ●

* Please inquire for minimum quantity required and/or special length

● Canada ● USA

Rounds

O.D Size	Gauge	Lgth	Lbs/ft	Pcs	Weight (lbs)	Mill
0.84 (1/2")	0.109	252	0.85	169	3017	● ●
	(sch40)	288	*	169	3448	● ●
	0.147	240	1.09	169	3684	● *
	(sch80)	252	*	169	3868	● *
		288	*	169	4421	● *
1.050 (3/4")	0.083	252	0.86	127	2294	● *
	(sch10)	288	*	127	2621	● *
	0.100	288	1.01	127	3078	● *
	0.110	252	1.10	127	2934	● *
		288	*	127	3363	● *
	0.113	252	1.13	127	3014	●
	(sch40)	288	*	127	3444	●
	0.125	288	1.23	127	3749	● *
	0.154	252	1.47	127	3920	● *
	(sch80)	288	*	127	4481	● *
1.315 (1")	0.083	288	1.09	127	3322	● ● *
	0.100	288	1.30	127	3962	● ● *
	0.109	252	1.40	127	3734	● ● *
	(sch10)	288	*	127	4267	● ● *
	0.125	288	1.59	127	4846	● ● *
	0.133	252	1.68	127	4481	● ● *
	(sch40)	288	*	127	5121	● ● *
	0.179	252	2.17	91	4147	● ● *
	(sch80)	288	*	91	4739	● ● *
1.660 (1 1/4")	0.083	288	1.40	91	3058	● ● *
	0.100	288	1.67	91	3647	● ● *
	0.109	252	1.82	91	3478	● ● *
	(sch10)	288	*	91	3975	● ● *
	0.125	288	2.06	91	4477	● ● *
	0.134	288	2.18	91	4761	● ● *
	0.140	252	2.27	61	2908	● ● *
	(sch40)	288	*	61	3323	● ● *
	0.191	252	3.00	61	3843	● ● *
	(sch80)	288	*	61	4392	● ● *
1.900 (1 1/2")	0.100	288	1.92	91	4193	● ● *
	0.109	252	2.08	91	3975	● ● *
	(sch10)	288	*	91	4543	● ● *
	0.125	288	2.38	91	5198	● ● *
	0.145	252	2.72	61	3484	● ● *
	(sch40)	288	*	61	3982	● ● *
	0.188	288	3.44	61	5036	● ● *
	0.200	252	3.63	61	4650	● ● *
	(sch80)	288	*	61	5314	● ● *
2.375 (2")	0.100	252	2.43	61	3113	● ● *
		288	*	61	3558	● ● *
	0.109	252	2.64	61	3382	● ● *
	(sch10)	288	*	61	3866	● ● *
	0.125	252	3.01	61	3856	● ● *
		288	*	61	4407	● ● *
		480	*	44	5298	● ● *
		504	*	29	3666	● ● *
		576	*	29	4190	● ● *
	0.134	252	3.21	61	4112	● ● *
		288	*	61	4699	● ● *
		480	*	29	3724	● ● *
		504	*	29	3910	● ● *
		576	*	29	4468	● ● *
	0.154	252	3.66	61	4676	● ● *
	(sch40)	288	*	61	5344	● ● *
		480	*	29	4234	● ● *
		504	*	29	4446	● ● *
		576	*	29	5081	● ● *

HSS Bundling Chart

O.D Size	Gauge	Lgth	Lbs/ft	Pcs	Weight (lbs)	Mill
2.375 (2")	0.188	252	4.40	51	4712	● ● *
		288	"	51	5386	● ● *
		480	"	24	4224	● ● *
		504	"	24	4435	● ● *
		576	"	24	5069	● ● *
	0.218 (sch80)	252	5.02	37	3901	● ● *
		288	"	37	4458	● ● *
		504	"	24	5060	● ● *
		576	"	24	5783	● ● *
	0.250	252	5.68	37	4413	● ● *
		288	"	37	5044	● ● *
		480	"	24	5453	● ● *
		504	"	24	5725	● ● *
		576	"	13	3544	● ● *
2.875 (2 1/2")	0.125	252	3.67	37	2852	● ● *
		288	"	37	3259	● ● *
		480	"	29	4257	● ● *
		504	"	29	4470	● ● *
		576	"	29	5109	● ● *
	0.134	252	3.92	37	3046	● ● *
		288	"	37	3481	● ● *
		480	"	29	4547	● ● *
		504	"	29	4775	● ● *
		576	"	29	5457	● ● *
	0.188	252	5.40	44	4990	● ● *
		288	"	29	3758	● ● *
		480	"	16	3456	● ● *
		504	"	16	3629	● ● *
		576	"	16	4147	● ● *
	0.203 (sch40)	252	5.79	37	4499	● ● *
		288	"	37	5142	● ● *
		480	"	24	5558	● ● *
		504	"	24	5836	● ● *
		576	"	13	3613	● ● *
	0.250	252	7.01	29	4269	● ● *
		288	"	29	4879	● ● *
		480	"	16	4486	● ● *
		504	"	16	4711	● ● *
		576	"	16	5384	● ● *
	0.276 (sch80)	252	7.66	29	4665	● ● *
		288	"	29	5331	● ● *
		480	"	16	4902	● ● *
		504	"	16	5148	● ● *
		576	"	16	5883	● ● *
3.500 (3")	0.120 (sch10)	252	4.33	29	2637	● ● *
		288	"	29	3014	● ● *
		480	"	29	5023	● ● *
		504	"	29	5274	● ● *
		576	"	29	6027	● ● *
	0.125	252	4.51	29	2747	● ● *
		288	"	29	3139	● ● *
		480	"	29	5232	● ● *
		576	"	29	6278	● ● *
	0.134	252	4.82	29	2935	● ● *
		288	"	29	3355	● ● *
		480	"	29	5591	● ● *
		504	"	29	5871	● ● *
		576	"	16	3702	● ● *

O.D Size	Gauge	Lgth	Lbs/ft	Pcs	Weight (lbs)	Mill
3.500 (3")	0.188	252	6.66	29	4056	● ● *
		288	"	29	4635	● ● *
		480	"	16	4262	● ● *
		504	"	16	4476	● ● *
		576	"	16	5115	● ● *
	0.216 (sch40)	252	7.58	29	4616	● ● *
		288	"	29	5276	● ● *
		480	"	16	4851	● ● *
		504	"	16	5094	● ● *
		576	"	16	5821	● ● *
	0.250	252	8.69	19	3467	● ● *
		288	"	19	3963	● ● *
		480	"	10	3476	● ● *
		504	"	10	3660	● ● *
		576	"	10	4171	● ● *
	0.300 (sch80)	252	10.25	19	4090	● ● *
		288	"	19	4674	● ● *
		480	"	10	4100	● ● *
		504	"	10	4305	● ● *
		576	"	10	4920	● ● *

* Please inquire for minimum quantity required and/or special length

● Canada ● USA

Rounds

O.D Size	Gauge	Lgth	Lbs/ft	Pcs	Weight (lbs)	Mill
4.000 (3 1/2")	0.125 (sch 10)	252	5.18	24	2611	● ●
		288	*	24	2984	● ●
		480	*	24	4973	● ●
		504	*	24	5221	● ●
		576	*	13	3232	● ●
	0.188	252	7.66	24	3861	● ●
		288	*	24	4412	● ●
		480	*	13	3983	● ●
		504	*	13	4182	● ●
		576	*	13	4780	● ●
	0.226 (sch 40)	252	9.11	24	4591	● ●
		288	*	24	5247	● ●
		480	*	13	4737	● ●
		504	*	13	4974	● ●
		576	*	13	5685	● ●
	0.250	252	10.02	19	3998	● ●
		288	*	19	4569	● ●
		480	*	10	4008	● ●
		504	*	10	4208	● ●
		576	*	10	4810	● ●
	0.318 (Sch 80)	252	12.51	19	4991	● ● *
		288	*	19	5705	● ● *
		480	*	10	5004	● ● *
		504	*	10	5254	● ● *
		576	*	10	6005	● ● *
4.500 (4")	0.120 (sch10)	252	5.61	24	2827	● ●
		288	*	24	3231	● ●
		480	*	24	5386	● ●
		504	*	24	5655	● ●
		576	*	13	3501	● ●
	0.125	252	5.84	24	2943	● ●
		288	*	24	3364	● ●
		480	*	13	3037	● ●
		504	*	13	3189	● ●
		576	*	13	3644	● ●
	0.188	252	8.66	24	4365	● ● *
		288	*	24	4988	● ● *
		480	*	13	4503	● ● *
		504	*	13	4728	● ● *
		576	*	13	5404	● ● *
	0.237 (sch40)	252	10.79	19	4305	● ●
		288	*	19	4920	● ●
		480	*	10	4316	● ●
		504	*	10	4532	● ●
		576	*	10	5179	● ●
	0.250	252	11.36	19	4533	● ●
		288	*	19	5180	● ●
		480	*	10	4544	● ●
		504	*	10	4771	● ●
		576	*	10	5453	● ●
	0.300	252	13.45	19	5367	● ● *
		288	*	19	6133	● ● *
		480	*	10	5380	● ● *
		504	*	10	5649	● ● *
		576	*	10	6456	● ● *
	0.337 (sch80)	252	14.98	10	3146	● ● *
		288	*	10	3595	● ● *
		480	*	10	5992	● ● *
		504	*	10	6292	● ● *
		576	*	10	7190	● ● *

* Please inquire for minimum quantity required and/or special length

● Canada ● USA

HSS Bundling Chart

O.D Size	Gauge	Lgth	Lbs/ft	Pcs	Weight (lbs)	Mill
5.563 (5")	0.134 (sch10)	252	7.77	10	1632	● ● *
		288	"	10	1865	● ● *
		480	"	10	3108	● ● *
		504	"	10	3263	● ● *
		576	"	10	3730	● ● *
	0.188	240	10.79	10	2158	● ● *
		252	"	10	2266	● ● *
		288	"	10	2590	● ● *
		480	"	10	4316	● ● *
		504	"	10	4532	● ● *
	0.250	252	14.20	10	2982	● ● *
		288	"	10	3408	● ● *
		480	"	10	5680	● ● *
		504	"	10	5964	● ● *
		576	"	7	4771	● ● *
	0.258 (sch40)	252	14.62	10	3070	● ●
		288	"	10	3509	● ●
		480	"	10	5848	● ●
		504	"	10	6140	● ●
		576	"	7	4912	● ●
	0.375 (Sch 80)	252	20.79	10	4366	● ● *
		288	"	10	4990	● ● *
		480	"	7	5821	● ● *
		504	"	7	6112	● ● *
		576	"	7	6985	● ● *
6.625 (6")	0.134 (sch10)	252	9.29	10	1951	● ● *
		288	"	10	2230	● ● *
		480	"	10	3716	● ● *
		504	"	10	3902	● ● *
		576	"	10	4459	● ● *
	0.188	240	12.92	10	2584	● ●
		252	"	10	2713	● ●
		288	"	10	3101	● ●
		480	"	10	5168	● ●
		504	"	10	5426	● ●
	0.250	240	17.00	10	3400	● ●
		252	"	10	3570	● ●
		288	"	10	4080	● ●
		480	"	7	4760	● ●
		504	"	7	4998	● ●
	0.280 (sch40)	252	18.97	10	3984	● ●
		288	"	10	4553	● ●
		480	"	7	5312	● ●
		504	"	7	5577	● ●
		576	"	7	6374	● ●
	0.4325 (sch80)	252	28.60	10	6006	● ●
		288	"	10	6864	● ●
		480	"	7	8008	● ●
		504	"	7	8408	● ●
		576	"	7	9610	● ●
7"	0.188	252	13.69	7	2011	● ●
		288	"	7	2298	● ●
		480	"	7	3830	● ●
		504	"	7	4021	● ●
		576	"	7	4595	● ●
	0.250	252	18.04	7	2652	● ●
		288	"	7	3031	● ●
		480	"	7	5051	● ●
		504	"	7	5303	● ●
		576	"	7	6061	● ●

O.D Size	Gauge	Lgth	Lbs/ft	Pcs	Weight (lbs)	Mill
7"	0.276	252	19.84	7	2916	● ●
		288	"	7	3333	● ●
		480	"	7	5555	● ●
		504	"	7	5832	● ●
		576	"	7	6667	● ●
	0.313	252	22.354	7	3286	● ●
		288	"	7	3755	● ●
		480	"	7	6259	● ●
		504	"	7	6572	● ●
		576	"	7	7511	● ●
	0.375	252	26.558	7	3904	● ●
		288	"	7	4462	● ●
		480	"	7	7436	● ●
		504	"	7	7808	● ●
		576	"	5	6374	● ●
	0.5	252	34.743	7	5107	● ●
		288	"	7	5837	● ●
		480	"	7	9728	● ●
		504	"	5	7296	● ●
		576	"	5	8338	● ●
8.625 (8")	0.188 (sch 10)	252	16.96	7	2490	● ●
		288	"	7	2845	● ●
		480	"	7	4743	● ●
		504	"	7	4980	● ●
		576	"	7	5691	● ●
	0.25 (sch 20)	252	22.38	7	3287	● ●
		288	"	7	3756	● ●
		480	"	7	6260	● ●
		504	"	7	6574	● ●
		576	"	7	7513	● ●
	0.322 (sch 40)	252	28.58	7	4201	● ●
		288	"	7	4801	● ●
		480	"	7	8002	● ●
		504	"	7	8403	● ●
		576	"	7	9603	● ●
	0.500 (sch 80)	252	43.43	7	6384	● ●
		288	"	7	7296	● ●
		480	"	2	3474	● ●
		504	"	2	3648	● ●
		576	"	2	4169	● ●
9.625 (9")	0.188	252	18.92	2	795	● ●
		288	"	2	908	● ●
		480	"	2	1513	● ●
		504	"	2	1589	● ●
		576	"	2	1816	● ●
	0.250	252	25.06	2	1052	● ●
		288	"	2	1202	● ●
		480	"	2	2004	● ●
		504	"	2	2105	● ●
		576	"	2	2405	● ●
	0.342 (sch 40)	252	33.94	2	1424	● ●
		288	"	2	1627	● ●
		480	"	2	2712	● ●
		504	"	2	2848	● ●
		576	"	2	3254	● ●
	0.375	252	37.08	2	1557	● ●
		288	"	2	1780	● ●
		480	"	2	2966	● ●
		504	"	2	3114	● ●
		576	"	2	3560	● ●
	0.500 (sch 80)	252	48.77	2	2047	● ●
		288	"	2	2339	● ●
		480	"	2	3898	● ●
		504	"	2	4093	● ●
		576	"	2	4678	● ●

Squares

Size	Gauge	Lgth	W x H	Lbs/ft	Pcs	Weight (lbs)	Mill
.75 x .75	0.065	240	16 x 16	0.61	256	3124	● ● ● ●
		288	"	"	256	3748	● ● ● ●
	0.083	240	"	0.75	256	3840	● ● ● ●
		288	"	"	256	4608	● ● ● ●
1 x 1	0.065	240	10 x 10	0.83	100	1650	● ● ● ●
		288	"	"	100	1992	● ● ● ●
	0.072	240	"	0.91	100	1820	● ● ● ●
		288	"	"	100	2184	● ● ● ●
	0.083	240	"	1.04	100	2080	● ● ● ●
		288	"	"	100	2496	● ● ● ●
	0.100	240	"	1.14	100	2280	● ● ● ●
		288	"	"	100	2736	● ● ● ●
	0.125	240	"	1.35	100	2700	● ● ● ●
		288	"	"	100	3240	● ● ● ●
1.25 x 1.25	0.065	240	10 x 10	1.05	100	2100	● ● ● ●
		288	"	"	100	2520	● ● ● ●
	0.072	240	"	1.19	100	2380	● ● ● ●
		288	"	"	100	2886	● ● ● ●
	0.083	240	"	1.32	100	2640	● ● ● ●
		288	"	"	100	3168	● ● ● ●
	0.100	240	"	1.48	100	2960	● ● ● ●
		288	"	"	100	3562	● ● ● ●
	0.125	240	"	1.78	100	3560	● ● ● ●
		288	"	"	100	4272	● ● ● ●
1.5 x 1.5	0.065	240	9 x 9	1.27	81	2088	● ● ● ●
		288	"	"	81	2469	● ● ● ●
	0.072	240	"	1.43	81	2317	● ● ● ●
		288	"	"	81	2780	● ● ● ●
	0.083	240	"	1.60	81	2692	● ● ● ●
		288	"	"	81	3111	● ● ● ●
	0.100	240	"	1.82	81	2949	● ● ● ●
		288	"	"	81	3539	● ● ● ●
	0.125	240	"	2.21	81	3581	● ● ● ●
		288	"	"	81	4297	● ● ● ●
	0.188	240	8 x 8	3.35	64	4288	● ● ● ●
		288	"	"	64	5146	● ● ● ●
2 x 2	0.065	240	8 x 8	1.71	64	2189	● ● ● ●
		288	"	"	64	2627	● ● ● ●
	0.072	240	"	1.88	64	2407	● ● ● ●
		288	"	"	64	2888	● ● ● ●
	0.083	240	"	2.15	64	2755	● ● ● ●
		288	"	"	64	3316	● ● ● ●
	0.100	240	"	2.50	64	3200	● ● ● ●
		288	"	"	64	3840	● ● ● ●
	0.110	240	"	2.72	64	3482	● ● ● ●
		288	"	"	64	4178	● ● ● ●
	0.125	240	"	3.06	64	3917	● ● ● ●
		288	"	"	64	4701	● ● ● ●
	0.188	480	8 x 5	"	48	5876	● ● ● ●
		576	8 x 5	"	40	5876	● ● ● ●
		240	8 x 5	4.33	48	4157	● ● ● ●
		288	"	"	48	4989	● ● ● ●
	0.250	480	8 x 4	"	32	5543	● ● ● ●
		576	"	"	32	6661	● ● ● ●
		240	8 x 5	5.41	40	4328	● ● ● ●
		288	"	"	40	5194	● ● ● ●
		480	8 x 4	"	32	6925	● ● ● ●
		576	8 x 3	"	24	6233	● ● ● ●

HSS Bundling Chart

Size	Gauge	Lgth	W x H	Lbs/ft	Pcs	Weight (lbs)	Mill
2.5 x 2.5	0.083	240	7 x 7	2.73	49	2676	● ● *
		288	"	"	49	3211	● ● *
		480	"	3.25	49	3195	● ● *
		576	"	"	49	3834	● ● *
	0.125	240	"	3.91	49	3832	● ●
		288	"	"	49	4599	● ●
		480	7 x 5	"	35	5474	● ●
		576	7 x 4	"	28	5285	● ●
	0.188	240	6 x 6	5.61	36	4040	● ●
		288	"	"	36	4848	● ●
		480	6 x 4	"	24	5386	● ●
		576	"	"	24	5463	● ●
	0.250	240	6 x 5	7.11	30	4266	● ●
		288	6 x 4	"	30	5120	● ●
		480	"	"	24	5826	● ●
		576	6 x 3	"	18	6144	● ●
3 x 3	0.125	240	6 x 6	4.76	36	3428	● ●
		288	"	"	36	4113	● ●
		480	6 x 4	"	24	4570	● ●
		576	"	"	24	5484	● ●
	0.188	240	5 x 6	6.89	30	4134	● ●
		288	"	"	30	4961	● ●
		480	5 x 4	"	20	5512	● ●
		576	"	"	20	5515	● ●
	0.250	240	5 x 5	8.81	25	4405	● ●
		288	"	"	25	5286	● ●
		480	5 x 3	"	15	5286	● ●
		576	"	"	15	5344	● ●
	0.375	240	6 x 4	12.17	24	5842	●
		288	6 x 4	"	24	7010	●
		480	6 x 2	"	12	5842	●
		576	6 x 2	"	12	7010	●
3.5 x 3.5	0.125	240	5 x 5	5.61	25	2805	● ● *
		288	"	"	25	3366	● ● *
		480	"	"	25	5510	● ● *
		576	5 x 4	"	20	5386	● ● *
	0.188	240	5 x 5	8.17	25	4085	● ●
		288	"	"	25	4902	● ●
		480	5 x 3	"	15	4902	● ●
		576	"	"	15	5883	● ●
	0.250	240	5 x 4	10.51	20	4204	● ●
		288	"	"	20	5045	● ●
		480	5 x 3	"	15	5306	● ●
		576	"	"	15	7568	● ●
	0.375	240	6 x 4	14.72	24	7066	●
		288	6 x 3	"	18	5359	●
		480	5 x 2	"	10	5888	●
		576	5 x 2	"	10	7066	●
4 x 4	0.125	240	5 x 5	6.46	25	3230	● ●
		288	"	"	25	3876	● ●
		480	5 x 4	"	20	5168	● ●
		576	"	"	20	5202	● ●
	0.188	240	5 x 5	9.45	25	4725	● ●
		288	"	"	25	5570	● ●
		480	5 x 3	"	15	5570	● ●
		576	"	"	15	5804	● ●
	0.250	240	4 x 4	12.21	16	3908	● ●
		288	"	"	16	4689	● ●
		480	4 x 3	"	12	5861	● ●
		576	"	"	12	7033	● ●

Size	Gauge	Lgth	W x H	Lbs/ft	Pcs	Weight (lbs)	Mill
4 x 4	0.313	240	4 x 4	14.83	16	4746	● ●
		288	"	"	16	5595	● ●
		480	4 x 2	"	8	4746	● ●
		576	"	"	8	5595	● ●
	0.375	240	4 x 3	17.27	12	4145	● ●
		288	"	"	12	4974	● ●
		480	4 x 2	"	8	5527	● ●
		576	"	"	8	6532	● ●
	0.500	240	5 x 3	21.53	15	6489	●
		288	"	"	15	7787	●
		480	4 x 2	"	8	6022	●
		576	3 x 2	"	6	6229	●
5 x 5	0.125	240	4 x 4	8.16	16	2512	● ● *
		288	"	"	16	3134	● ● *
		480	4 x 3	"	12	3917	● ● *
		576	"	"	12	4701	● ● *
	0.188	240	4 x 4	12.00	16	3840	● ●
		288	"	"	16	4508	● ●
		480	4 x 3	"	12	5750	● ●
		576	4 x 2	"	8	4508	● ●
	0.250	240	4 x 4	15.52	16	4999	● ●
		288	4 x 3	"	12	4499	● ●
		480	4 x 2	"	8	4999	● ●
		576	"	"	8	5999	● ●
	0.313	240	3 x 3	19.08	9	3435	● ●
		288	"	"	9	4122	● ●
		480	3 x 2	"	6	4580	● ●
		576	"	"	6	5496	● ●
	0.375	240	3 x 3	22.37	9	4027	● ●
		288	"	"	9	4832	● ●
		480	3 x 2	"	6	5359	● ●
		576	"	"	6	6443	● ●
	0.500	240	4 x 2	28.43	8	4549	●
		288	"	"	8	5459	●
		480	4 x 1	"	4	4549	●
		576	"	"	4	5459	●

* Please inquire for minimum quantity required and/or special length

● Canada ● USA



Squares


HSS Bundling Chart

Size	Gauge	Lgth	W x H	Lbs/ft	Pcs	Weight (lbs)	Mill
6 x 6	0.188	240	3 x 3	14.83	9	2616	● ●
		288	"	"	9	3139	● ●
		480	"	"	9	5231	● ●
		576	"	"	9	6277	● ●
	0.250	240	"	19.02	9	3424	● ●
		288	"	"	9	4109	● ●
		480	"	"	9	6848	● ●
		576	3 x 2	19.02	6	5478	● ●
	0.313	240	3 x 3	23.34	9	4202	● ●
		288	"	"	9	5042	● ●
		480	3 x 2	"	6	6502	● ●
		576	"	"	6	6722	● ●
	0.375	240	3 x 3	27.48	9	4947	● ●
		288	"	"	9	5935	● ●
		480	3 x 2	"	6	6596	● ●
		576	"	"	6	7915	● ●
	0.500	240	3 x 3	35.24	9	6344	● ●
		288	"	"	9	7612	● ●
		480	3 x 1	"	3	4229	● ●
		576	"	"	3	5075	● ●
7 x 7	0.188	240	3 x 3	17.08	9	3075	● ●
		288	"	"	9	3690	● ●
		480	3 x 2	"	6	4100	● ●
		576	"	"	6	4920	● ●
	0.250	240	3 x 3	22.42	9	4036	● ●
		288	"	"	9	4843	● ●
		480	3 x 2	"	6	5381	● ●
		576	"	"	6	6457	● ●
	0.313	240	3 x 3	27.59	9	4967	● ●
		288	"	"	9	5950	● ●
		480	3 x 2	"	6	6522	● ●
		576	3 x 1	"	3	3973	● ●
	0.375	240	3 x 3	32.58	9	5855	● ●
		288	"	"	9	7038	● ●
		480	3 x 2	"	6	7820	● ●
		576	3 x 1	"	3	4692	● ●
	0.500	240	3 x 2	42.05	6	5046	● ●
		288	"	"	6	6066	● ●
		480	3 x 1	"	3	5046	● ●
		576	"	"	3	6066	● ●
8 x 8	0.188	240	3 x 3	19.53	9	3534	● ●
		288	"	"	9	4241	● ●
		480	"	"	9	7067	● ●
		576	"	"	9	8481	● ●
	0.250	240	"	25.82	9	4548	● ●
		288	"	"	9	5578	● ●
		480	"	"	9	9296	● ●
		576	3 x 2	"	6	7437	● ●
	0.313	240	3 x 3	31.84	9	5732	● ●
		288	"	"	9	6878	● ●
		480	3 x 2	"	6	7542	● ●
		576	"	"	6	9170	● ●
	0.375	240	3 x 3	37.59	9	6785	● ●
		288	"	"	9	8142	● ●
		480	3 x 2	"	6	9046	● ●
		576	2 x 2	"	4	7237	● ●
	0.500	240	3 x 3	48.85	6	5852	● ●
		288	"	"	6	7035	● ●
		480	2 x 2	"	4	7816	● ●
		576	"	"	4	9380	● ●

* Please inquire for minimum quantity required and/or special length

● Canada ● USA

+ 1100 employees
+ 40 successful years
+ 2 million sq. ft of
production facilities
across North America



novasteel.ca

Nova Steel | Structural Tube and Pipe

1 (866) 953-7751

salestubeandsteel@novasteel.ca

5870 Saint-Patrick St.
Montreal, Quebec H4E 1B3
Canada

8641 County Road H
Delta, OH, 43515
United States

novasteelusa.com



Nova Steel is a privately held Canadian company with over 40 years of expertise in the processing, manufacturing and distribution of steel.

We serve the automotive, construction, mining, agriculture, transportation, plumbing and heating, HVAC, waste equipment, rail and other related industries across North America.